

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6499083".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 13:56
S3	71	buffer adj allocation and 710/52-57.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 13:58
S4	9	S3 and equation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 13:58
S5	6219	dynamic near5 allocation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 13:58
S6	4	S5 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 13:58
S7	3	S6 and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 14:34
S8	2	(buffer adj allocation) near4 (data adj rate) and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 14:18
S9	191	dynamic and buffer and allocation and data adj rate and @ad<"20001115" and buffer adj size	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 14:20
S10	5	S9 and adjust near3 buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 14:20

S11	14	S9 and change near3 buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 14:27
S12	63	buffer adj sizing and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:37
S13	4	S12 and 710/52-57.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:24
S14	13	("4752897" "5014265" "5210829" "5319638" "5671445" "5928331" "5968120" "6060997" "6112276" "6155840" "6167438" "6195680" "6233245").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/11/24 15:01
S15	8	("6405256").URPN.	USPAT	OR	OFF	2004/11/24 15:02
S17	8	dynamic and buffer adj resizing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:06
S18	4	S17 and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:08
S19	0	(buffer adj sizing) near (data adj rate) and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:26
S20	1041	buffer adj allocation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:53
S21	0	dynamic adj buffer adj adjustment and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:54

S22	50	dynamic adj buffer adj allocation and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:57
S23	23	S22 and buffer.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 09:47
S24	0	S22 and buffer.ti. and calculate near buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/24 15:59
S25	9695	buffer near4 function and @ad<"20001115"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 09:48
S26	908	S25 and formula	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 09:48
S27	7	S26 and buffer near allocation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 09:48